EMAG VL200

Lathe · Vertical lathe



Article number	**94-000064**
Condition	**Demo machine**
Year of manuf.	**2025**
Control	**Siemens 840 DSL**

In general:

Chuck diameter	260 mm
Swing diameter	280 mm
Max. workpiece height	200 mm

Spindle:

Technology	Motor spindle
Rotational speed	4500 rpm
Power	24.1 kW
Torque	243 Nm
C-axis	0.01°
Clamping cylinder	Full-bore clamping cylinder

Tool carrier (X/Z):

Technology	Disc-type turret
Number of stations	12
Tool holder	BMT55
Tool drive	6,000 rpm, 23.7 Nm
X-axis	760 mm
Z-axis	415 mm

Tel. +49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Subject to prior sale and technical errors.

Equipment:

Chip removal	Chip conveyor
Coolant supply	15 bar
Automation	Circulating workpiece transport system
Extraction	Emulsion mist extraction

Tel. +49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Subject to prior sale and technical errors.

Product images







Tel. +49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Subject to prior sale and technical errors.