Index G400

Lathe · CNC lathe



Article number	**94-000062**
Condition	**Used machine**
Year of manuf.	**2025**
Control	**Siemens 840DSL**
Turning diam.	**400 mm**
Turning length	**1600 mm**

Mainspindle:

Spindle diamenter	120 mm
Turning length	1,600 mm
Speed max.	3,000 rpm
C-axis	0.00014°

Subspindle:

Spindle diamenter	120 mm
Speed max.	3,000 rpm
C-axis	0,00014°

Tool carrier 1:

Technology	12-station tool turret
Mounting	VDI 40 with serrated coupling (W-toothing)
Rotational speed	5,400 rpm
X-axis	295 mm
Y-axis	+/- 100 mm
Z-axis	1,580 mm

Tel. +49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Subject to prior sale and technical errors.

Tool carrier below 2 (down left side):

Technology	12-station tool turret
Mounting	VDI 40 with serrated coupling (W-toothing)
Rotational speed	5,400 rpm
X-axis	185 mm
Y-axis	+/- 70 mm
Z-axis	1,600 mm

Tool carrier below 2 (down right side):

Technology	12-station tool turret
Mounting	VDI 40 with serrated coupling (W-toothing)
Rotational speed	5,400 rpm
X-axis	185 mm
Y-axis	+/- 70 mm
Z-axis	1,600 mm

Tool changer:

Technology	chain magazine
Tool holder	HSK-T63
Tools	1 x 58 / 1 x 57 / all in 115

Equipment:


Chipmanagement	Chip conveyor
Cooling lubricant system	ECO-Fluid (Bürener brand) 80 bar, switchable
Workpiece measurement	Renishaw RLP40.


Tel. +49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Subject to prior sale and technical errors.

Product images









Tel. +49 (0) 8142 / 44 87 - 100
Fax +49 (0) 8142 / 44 87 - 155
info@gs-wzm.de
www.gs-werkzeugmaschinen.de

Gläsener + Schmidt GmbH
Gewerbering 6
82140 Olching
Deutschland

Subject to prior sale and technical errors.